# SUMMARY NOTES CITY COUNCIL SIGN ORDINANCE TASK FORCE

January 7, 2013 – 4:00 PM KCDC, 901 N. Broadway

### Call to Order

Chairman Duane Grieve called to order the January 7, 2013 meeting of the City Council Sign Ordinance Task Force at 4:00 p.m. in the Board Room at KCDC, 901 N. Broadway.

### Roll Call

Members present:

Members absent:

None.

Joyce Feld

Duane Grieve, Chair

Don Parnell

**Gary Hayes** 

Melissa McAdams

Jim Nixon

George Wallace, Vice-Chair

Bill Weigel

Staff Members present:

Staff members absent:

Mark Donaldson, MPC

Angela Rauber, Law Department

Cindy Mitchell, City Council Office Anne Wallace, Redevelopment Office Anita Cash, Retired from City of Knoxville

### **Acknowledgement**

Task Force Member Don Parnell acknowledged the passing of Knoxville architect Bruce McCarty who was responsible for the design of many Knoxville buildings including the City-County Building and the East Tennessee Community Design Center.

Chairman Grieve also addressed the passing of Mr. McCarty.

### **Acceptance of Summary Notes**

Motion:

George Wallace moved to accept the Summary Notes from November 28, 2012.

Second:

Joyce Feld and Melissa McAdams.

Vote:

Unanimous "Ave"

Disposition:

Summary Notes accepted.

### **Opening Comments**

Chairman Grieve gathered and summarized information regarding the 2011-2012 sign permits issued by the City of Knoxville. Chairman Grieve discussed the information and gave the Task Force members handouts detailing the information (See attached).

Chairman Grieve also discussed issues that have been brought to his attention for possible consideration by the Sign Task Force including a question by the Public Arts Commission on how murals on buildings fit into the sign ordinance.

Chairman Grieve recognized Task Force member Jim Nixon to discuss issues the Turkey Creek Development is having with their signage. (See attached e-mail).

### **Information and Discussion**

Mark Donaldson prepared and discussed two hand-outs as follows:

- 1) Analysis of Some Recently Approved Signs (Amended and dated 1-7-13)
- 2) January Discussion (Dated 1-7-13)

See attached.

Task Force Members engaged in discussion.

Angela Rauber briefly discussed sign maintenance, abandoned signs and unsafe signs (See attached handout).

Discussion continued among the Task Force members.

### **Next Steps**

The next Sign Task Force meeting will be held Wednesday, January 23, 2013 - 4:00 p.m. at KCDC, 901 N. Broadway.

### **Adjournment**

The meeting adjourned at 5:40 p.m.

64 New Ground Signs 35 Reworded Ground Signs

Ground Permit#		Height	Sign Size	Туре
0018	N	4'	4' x 4'	
0019	N	32' (Interstate)	10' x 24'	Pole
0032	R			
0043	N	5′	5' x 6'	Monument
0046	N	20'	4' x 15'	Pole
0049	N	35.5′	8' x 24'	Pole
0058	R	25.1′	Existing	
0073	N	-	6′ x 6′	Ground
0800	N	20'	5' x 18'	Pole
0092	R	30'	6' x 14'	Pole
0095	R	35'	6' x 15'	Pole
0096	N	10'	10′ x 3′	Monument
0103	R			
0108	N	14'	4' x 7.67'	Pole
0110	N	18'(Existing)	5 'x 5'	Pole
0115	N	4.5'	4.5′ x 7′	Monument
0116	N	15'	5.2′ x 6′	Pole
0123	N	4.5′	4.5′ x 8′	Monument
0125	N	4.10'	46" x 65"	Monument
0133	R		9' x 11'	Existing
0134	R	8'	5' x 6'	Existing
0144	R	25′	5' x 10'	Pole
0150	R	Existing	15′ x 26′	Ex. Pole

0151	R	Existing	2.5' x 10.5'	Pole
0154	N	29.5′	18' x 13'	Ground
0159	N	7'	40" x 96"	Ground
0166	R	20.5'	5.4′ x 8′	Pole
0170	N	26'	5' x 12'	Ground
0171	N	4'	3' x 4'	Ground
0174	N	5.1'	3.25′ x 7.5′	Monument
0185	N	12'	91.5" x 188.5"	Monument
0191	R	102"	100" x 52"	Directional
0193	R	(?)72"		Directional
0194	N(R)	8.2'	68" x 10.7'	Monument
0195	N	72"		Directional
0197	R	36'	5.1′ x 15′	Pole
0212	N	35′	5' x 16'	Pole
0215	N	15′	4' x 8'	Pole
0218	N	3.67′	2.67' x 5.67'	Pole
0224	R	30′		Pylon
0230	N	6′	2' x 5'	Monument
0232	N	15'	7' x 6'	Monument
0240	Ŕ	25′	7' x 7'	Pylon
0258	R	22'	4' x 12'	Ground
0260	R	Existing	62" x 96'	Pole
0262	N(R)	38'	11' x 28'	Pole Repl.
0264	N	6 <b>'</b>	3.5′ x 7.5′	Monument
0276	N	6'	5' x 6'	Monument

Page 2

				rage 3
0282	N	37.9′	9.75′ x 15.9′	Pole
0298	N	26.75'	26.75' x 5.75'	Pole?
0308	R	Existing	7.8′ x 8.3′	Pole
0312	N	50' (Mc)	14.2' x 11'	Pole
0325	N		44" x 97"	Ground
0333	N	50' (AT&T)	10' x 10'	Monument
0334	N	5.5′	4' x 5.5'	Monument
0335	Biliboar	d – Rebuild		
0344	N	50'	Northshore TC Dev.	Directional Interstate
0345	N	9′		Monument (NTC)
0346	N	12'		Monument (Target)
0347	N	12.10′		Monument
0353	N	5.4'	31" x 64"	Monument
0362	R	Existing		Monument
0371	R		5.6′ x 78′ 8′ x 13.7′	Pylon
0376	N	6′		Monument
0377	N	30′	Directional Dev.	Monument
0383	N	30′	7' x 14' 4' x 8'	Pylon
0385	N	25′	5' x 15'	Pole
0398	N	25′	8 'x 8'	Pole
0401	R		5′ x 20′	Pole
0402	R		5' x 20'	Pole
0405	R	15'	2' x 5.5'	
0410	N	6'	6' x 10.8'	Monument

Page 3

0411	Billboa	ard – Replacement DEN	HED	
0412	N	5.8′	4' x 8'	Monument
0419	R	16.5'	6.2' x 5'	Pole
0422	R	25′	7′ x 12′	Pole
0431	R	Existing	10 'x 10.5'	Pylon
0432	R			
0433 Monument	R	30'	10' x 10.5'	Ground
0436	R	Existing	10' x 10.5'	Pole
0440	R	Existing	10 'x 10.5'	Ground
0441	N	14'		Monument
0445	R	Existing	10' x 22'	Pylon
0454	N	50′	8' x 34'	Pole
0456	N	4'	42" x 96"	Ground
0466	N	8.8′	8.8' x 6.1'	Monument
0471	N	25′	9.9'	Pole
0478	N	14'	11′ x 7.5′	Monument
0490	N	10'	6.25' x 7.5'	Monument
0492	N	10'	10' x 10.3'	Monument
0495	N	5.7'	5.7′ x 10′	Monument
0496	N	21'	6 'x 16.1'	Pole
0498	N	20'		Pole
0509	N	6′	30" x 48"	Monument
0515	R	6'	4' x 8'	Monument

# **2012 SIGN PERMITS**

66 New Ground Signs 26 Reworked Ground Signs

3

Permit #	Height	Sign Size	Туре
0002 N	14'2"	50" x 96"	Pole
0015 N	35'	12' x 19.5'	Pole
0022 N	21'	85" x 168"	Pole
0024 N	10'	7' x 10'	Pole
0029 N	30'	15.10" x 30'	Pole
0030 N	30'	15.10" x 30'	Pole
0044 R	42.5'	8' x 20'	Ground
0062 R	Existing		
0071 N	4.9'	4.9' x 6'	Monument
0072 N	6'	6' x 11'	Monument
0075 N	16.1'	3.2' x 10.4'	Pole
0077 R	50′	100.5" x 191.5"	Pole
0082 N	40'		Pole
0089 N	24.2'	14' x 10'	Pole
0113 N	16'	5.5 'x 5.5'	Ground
0116 N	7'	4' x 7.9'	Ground
0124 R	45'	12' x 12'	Pole
0128 N		3.8′ x 7.8′	Pole
0134 N	40"	18" x 60"	Monument
0143 N		3.25′ x 31.9′	Pole
0145 N	15'	10.7' x 9.2'/4' x 14.25'	Ground

0156 R		2' x 7'00.25"	Pole
0162 N	50'	9'5" x 26'7"	Pole
0163 N	9' .	4.25′ x 12′	Monument
0168 R	18'	3 'x 8'	Pole
0169		9' x 9'	Monument
0175 R	15.2'	6' x 10'	Pole
0176 N	21'		Ground
0197 N	20'	7.5′ x 17′	Ground
0208 N	15.5'	5.5′ x 5.5′	Pole
0214 N	6′	5.5' x 8.67'	Monument
0219 N	17'	2' x 3' x 1' x 3'	Pole
0224 N	19'	17.8' x 15.4'	Monument
0234 N	4.5'	4.5' x 9'	Monument
0235 N	35'	8.1' x 12.3'/4' x 8'	Pole
0236 N	35'	12.3′ x 8.1′/4′ x 8′	Pole
0275 N	40'	13' x 22'	Pole
0278 R	22.33'	15' x 15.33'	Pole
0281 N	22.8′	8' x 5.3'/6' x 13.3'	Pole
0287 N	25'	2.4' x 12'/5' x 18'	Pole
0290 R	33'	5' x 10'	Pole
0293 N	4.5'	3' x 5'	Monument
0294 N	20'	3.5' x 7'	Pole
0307 R	20'	14.67' x 9'	Pole
0320 R&N	26.5'	8.5′ x 8′	Pole
0328 R	6'	3.3 'x 5' 9.75"	Ground

ŗ. ¥

(/ **t** 

es :

0340 N		24.5′	5' x 6'		Pole
0352 N		30'	9' x 12'		Pole
0360 N		30'	16'11.5' x 9.10	,	Pole
0366 N		25'	8' x 14.4' x 10'		Pole
0369 N		5'10.5"	2.25' x 6.5'		Monument
0371 N		19'	6' x 6' x 4' x 8'		Pole
0372 R		50'	8.5' x 19.75'		Pole
0373 R		13.5'	5.5' x 12.8'		Pole
0376 R		20'	85.5" x 135"		Ground
0380 N		. 25'			Pole
0389 N		22.4'	10' x 10'		Pole
0391 N		4'	3' x 4'		Monument
0429 N		5.4'	4.4' x 8.3'		Monument
0430 N		6'	6' x 16'		Monument
0433 R		35'	6 'x 12'		Pole
0435 N		35'	8' x 14'/6' x 9'		Pole
<b>2012</b> Sign He	ights		2011 Sign Heig	hts	
50' 40-49' 30-39' 25-29'	3 5 8 4		50' 40-49' 30-39' 25-29'	4 0 12	
0-24'	42		0-24'	8 72	
2042 61					

2012 Sign Heights Reviewed: 62

2011 Sign Heights Reviewed: 96

1/7/13 M. Doxeldion

# January Discussion

## Three Observations about the Current Regulations

• Maximum SIGN AREA is much greater than what is being used.

- Signs used with planned development districts don't come close to using the maximum SIGN AREA allowed; so that development represents an unconstrained view of the sign packages desired by owners. These developments can be the model for determining sign area regulations.
- When made aware of local concerns about SIGN HEIGHT, many developers are willing to not maximize the height and willing to use monument signs

### Three Big Policy Directions

- SHRINK THE MAXIMUM SIGN HEIGHT AND AREA ALLOWED FOR DETACHED AND ATTACHED SIGNS
- CREATE INCENTIVE TO USE MASTER SIGN PLANS
- CREATE INCENTIVE TO USE MONUMENT SIGNS

### **Detached Signs**

- Primary detached may be a ground or pole sign, but second sign must be a monument or column sign
- Height is determined by street classification
- · Area is determined by street frontage, with a relatively small maximum size
  - Maximum sign area for monument or column signs is smaller than maximum sign area for ground or pole signs

### Master Sign Plans

- CREATE INCENTIVE TO USE MASTER SIGN PLANS
  - Detached Directory Signs, as part of a master sign plan, allowed at a significantly larger size (area, not height)
  - Size of directory sign approved could be associated with other sign rights that are removed.
  - If a Directory Sign is used within a master sign plan, all other detached signs within the master sign plan area must be approved as part of the plan and/or must be monument signs
- Approval of Master Sign Plans allows the City to assist the Owner in enforcing the owners sign restrictions
  - Broaden powers of master sign plan to regulate all detached signs within the master sign plan area

### **Attached Signs**

- Total sign area for an entire building is determined as a percentage of the primary elevation of the building (for example: 7.5 percent)
- CREATE INCENTIVE TO USE MONUMENT SIGNS
  - A bonus sign area for attached signs may be utilized if the property does not use a ground or pole sign (for example, 2.5 percent)

1/7/13

# ANALYSIS OF SOME RECENTLY APPROVED SIGNS

Store Area Street	
Street	
Total Sign   PROPOSED	
ACTUA	
ACTUAL PR	
PROPOSED ACTUAL	

140 sf	192 sf	31 sf	69 sf 3.2%	216 sf	900 sf	400 sf	310 If Ebenezer	4,000 sf	Weigels @ Ebenezer
None	None	48 sf	68 sf 2.6% of wall	266 sf	50 st	/30 st	None	/,300 ST	Callahan
Ground: 109 sf	192 sf	39 sf	39 sf 6.7%		600 sf	300 sf	200 lf	3,000 st	Wingston Pike
Monument: 70 sf	192 sf	101 sf	101 sf 7.7% of wall	131 sf	930 sf	780 sf	310 lf	7,800 sf	Chuy's @ Kingston Pike
None	None	134 sf	257 sf 6.6% of wall	390 sf	20 st	1,150 sf	None	11.500	Cheesecake Factory @ W.T. Mall
Ground: 47 sf Monument: 47 sf	192 sf	31 sf	53 sf 1.4% of wall	382 sf	2,130 sf	1,600 sf	710 lf	16,000 sf	Aldi @ Sherrill Hill
Ground: 108 sf Monument: 109 sf	192 sf	98 sf	226 sf 7.5 % of wall	300 sf	975 sf	1,600 sf	325 lf	16,000 sf	Gordon Food @ Sherrill Hill
Monument: 49 sf	192 sf	637 sf	837 sf 8.6% of wall	978 sf	2,130 sf	7,500 sf	710 lf	75,000 sf	Academy @ Sherrill Hill
Ground: 168 sf Monument: 32 sf	192 sf	167 sf	455 sf 3.7% of wall	1,240 sf	2,460 sf	11,700 sf	820 If Cedar Bluff	117,000 sf	Kroger @ C.B. & K.P.
Monument: 110 sf		144 sf	297 sf 3.5% of wall		2,865 sf	13,500 sf	875 If 80 If	135,000 sf	Target @ North Shore TC
Directory: 392 sf	192 sf	432 sf	557 sf 3.5% of wall	1,340 sf	2,700 sf	13,400 sf	900 If (Typical)	134,000 sf	Home Depot @ Halls
		160 sf	320 sf 1.6% of wall				1,000 lf (Typical)	195,000 sf	Walmart @ Walbrook (2011)
Ground: 156 sf	192 sf	190 sf	952 sf 5.3% of wall		3,000 sf	19,500 sf	1,000 lf (Typical)	195,000 sf	Walmart @ Halls (2006)
ACTUAL Detached Sign Area	PROPOSED Detached Sign Area	ACTUAL Largest Attached Sign Area	ACTUAL Attached Sign Area - Primary Wall	PROPOSED Attached Sign Area - 10% of wall	Total Sign Area Allowed IF C-3	Total Sign Area Allowed IF PC-1	Street Frontage	Store Area	STORE

1/7/13 M. Donaldson

1/1/13 A. Rauher

### Sign Maintenance, Abandoned Signs and Unsafe Signs

- (A) Premises maintenance. All signs and surrounding premises shall be maintained by the owner thereof in a clean, sanitary and inoffensive condition, and free and clear of all obnoxious substances, rubbish and weeds.
- (B) Structure maintenance. All signs, including supporting structures, shall be kept in good, safe repair and shall be maintained in good and safe condition, including the periodic application of paint or other weatherproofing material in order to prevent rust or other decay. The Chief Building Official, or designee, may order the removal of any sign that is not maintained in accordance with the provisions of this section. Such removal or expense incurred to assure compliance of this section shall be at the expense of the permittee or the owner of such sign.
- (C) Display surface or other advertising surface maintenance. The display surface or other advertising material of a sign shall not be allowed to deteriorate to a broken, torn, peeling, flaking or otherwise decayed condition and shall be repaired or removed within ninety (90) days of receipt of notice mailed to the owner by certified mail, return receipt requested, from the Chief Building Official ordering such repair or removal. If the owner fails to remove or alter the display surface so as to comply with the standards herein set forth within the time specified in such notice, such display advertising material may be removed or altered to comply with such notice. An appeal may be made to overcome some exceptional condition which poses practical difficulty or particular hardship in such a way as to prevent an owner from repairing the sign within ninety (90) days.

**Abandoned Sign.** Any sign, including its supporting structure, erected in conjunction with a particular use, that use having been subsequently discontinued for a period of sixty (60) days or more, or a lawfully erected temporary sign for which the time period allowed for display of the sign has expired.

### **Abandoned Sign**

Any sign, including the sign structure, which has been abandoned by its owner. Abandonment shall be presumed if, for a period of 180 days or longer, the sign has not 1) advertised goods, services, facilities, events or attractions available on the premises where located, 2) identified the owner or occupant, 3) directed traffic on the premises, or 4) displayed a noncommercial message which may or may not relate to an activity located on the premises.

### Abandoned Signs

Any abandoned sign, now or hereafter existing, shall be taken down and removed by the owner, agent, or person having the beneficial use of the building, structure, or property upon which such sign may be found, within thirty (30) days after the written notification from the Community Development Director. Upon failure to comply with such notice within the time specified by such order, the Community Development Director shall notify the Code Enforcement Board and request a hearing. In making a determination that a sign is abandoned the Community Development Director shall consider among other factors, the existence or absence of a current occupational license for the premises, whether there are active utilities or a utilities service deposit at that location, and use of the premises.

### Non-use of On-premises Sign

Any on-premises sign which otherwise conforms to the provisions of this Article, and by reason of the cessation of activity on the premises, becomes an off-premises sign, may be retained by one of the following methods:

a. Painted Sign: The sign shall be covered by painting over the sign area.

b. Removable Sign Face: The sign face shall be removed and replaced with a blank insert or the sign face may be reversed.

c. Temporary Covering: The sign face may be temporarily covered by the installation of a sock or boot.

**Notice to remove abandoned signs.** Any abandoned sign shall be removed by the owner of the property on which it is located upon 30 days written notice by the Chief Building Official, or designee. If such abandoned sign is not removed at the conclusion of such thirty (30)-day period, the Chief Building Official or designee is hereby authorized to cause the sign to be removed forthwith at the expense of the owner.

For purposes of this section, the word "remove" shall mean:

- (1) the sign face, along with posts, columns or supports of ground signs, shall be taken down and removed from the property.
- (2) The sign face and supporting structures of "projecting", "roof" or "attached" signs shall be taken down and removed from the property.
- (3) The sign face of "painted attached signs" shall be removed by painting over the wall sign in such a manner as to completely cover up and hide from sight the sign in question

**Unsafe Signs.** Any sign, including its supporting structure, that, in the opinion of the Chief Building Official, or designee, is unsafe or insecure, shall be deemed an unsafe sign and shall be corrected or removed by the owner of the property on which the sign is located, within 72 hours of written notice by the Chief Building Official or designee. If such unsafe sign is not removed, then the Chief Building Official or designee is hereby authorized to cause such sign to be removed at the expense of the owner of the property on which the sign is located.

# 2012- 2013 CITY COUNCIL SIGN ORDINANCE TASK FORCE MEETING

January 7, 2013 – 4:00 PM KCDC, 901 N. Broadway

### **AGENDA**

- 1. Call to Order
- 2. Roll Call
- 3. Acceptance of Summary Notes
- 4. Opening Remarks
- 5. Sign Permit Summary Information (2011-2012)
- 6. Discussion Re: Master Sign Plan Ordinance
- 7. Discussion Re: Re-organized Sign Ordinance Prepared by Mark Donaldson
- 8. Discussion Re: Sign Maintenance and Abandoned Signs
- 9. Next Steps
- 10. Adjournment